

Index

A

- Absolute humidity, *see also* Humidity
definition, 45, 210
- Accuracy,
definition of, 210
needed for environmental parameters, 211
- Activated charcoal, *see* Charcoal filters
- Aeration,
in liquid cultures, 119-120, 127
- African violet,
growing requirements, 217
- Ageratum,
growing requirements, 217
- Ageratum houstonianum*,
growing requirements, 217
- Air,
contaminants, 81-86
components identified, 84-85
control, 85
charcoal filtering, 85
make-up air, 85
sources, 82-84
symptoms and crops, 84
tests for, 85-86
convection, *see* Air movement
exchange, *see* Air movement control
filtering, 195
flow, 88, *see also* Air movement
ion chambers, 166-167
movement, 87-98
boundary layer gradient, 90-91
comparison between chamber and field,
91-92
control, 91-94
calibration, 97-98
direction, 48-49, 84, 93-94, 194, 200-201
filtering, 112
instruments, 94-97, *see also*
Anemometers
makeup air, 94, 112, 200-201
rates, 92, 94, 200-201
specifications, 200-201
direction, *see* Air movement control,
direction
guidelines, 33, 210-214
measurement,
accuracy, 96
frequency, 96-97
instrument, 94-97, *see also* specific
instruments
location, 95, 97
units, 88, 211, 213-214
need for, 87
and plant response, 88-91, 93, 137-138, *see*
also specific plant responses
growth, 87-88, 93
leaf temperature, 33-34, 88-89
transpiration, 88-89
rate of, 45, 92
reporting, 212-214
specifications, 200-201
temperature control, 33, 92
turbulence, 88
wind, 88
pollution,
control with filters, 195
regulation, *see* Air movement control
speed, 88, 90-91 *see also* Air movement
temperature, *see* Temperature
terminology,
flow, 88
measurement, 88
speed, 88
turbulence, 88
velocity, 88
wind, 88
units, 88, *see also* Air movement terminology
velocity, 88, 200-201, 210, *see also* Air
movement
water potential,
definition, 49
temperature effect, 49
relative humidity effect, 49
- Algae, 128-129, 157
conditions encouraging, 157
control, 149-150, 157
- Alfalfa,
growing requirements, 217
- Alstroemeria,
growing requirements, 217
- Alstroemeria sp.*,
growing requirements, 217
- Amaranthus spp.*,
growing requirements, 222
- Analyzers, *see* specific environment
measurement
- Anemometers, 95-97
hot wire,

- description, 52-53, 95-96
 - disadvantage, 96
 - variability, 96
 - Laser-Doppler, 96-97
 - Annual bluegrass,
 - growing requirements, 217
 - Antirrhinum majus*,
 - growing requirements, 223
 - Aphids, 145-146
 - biology, 145-146
 - control, 146
 - identification, 145
 - injury, 145
 - Apple,
 - growing requirements, 217
 - Arabidopsis,
 - growing requirements, 217
 - Arabidopsis thaliana*,
 - growing requirements, 217
 - Arachis hypogaea*,
 - growing requirements, 221
 - Arthropods, 145-154
 - biology, *see* each type of arthropod
 - concern for, 143
 - control, 144-145, *see also* each type of arthropod
 - biological, 144
 - chlorox solutions, 144
 - chemical sprays, 144
 - description, *see* each type of arthropod
 - identification, *see* each type of arthropod
 - injury symptoms, *see* each type of arthropod types,
 - aphids, 145-146
 - caterpillars, 146-147
 - fungus gnats, 147-148
 - leafminers, 148
 - mealy bugs, 150-151
 - spider mites, 148-150
 - thrips, 151-152
 - white flies, 152-154
 - Atmospheric moisture, *see* Humidity
 - Avena sativa*,
 - growing requirements, 221
 - Avocado,
 - growing requirements, 217
 - Azalea,
 - growing requirements, 217
- B**
- Ballasts, *see* Lamps, ballasts
 - Barley,
 - growing requirements, 217
 - Barriers under lamps, *see* Radiation barriers
 - Bean,
 - growing requirements, 218
 - Bimetallic strip temperature sensors, 94
 - Black body,
 - definition, 32
 - sensors, *see* Radiation sensors, thermoelectric
 - Blight, *see* Botrytis blight
 - Blocking, 181-182, *see also* Experimental designs
 - Blueberry, highbush,
 - growing requirements, 218
 - Blueberry, rabbiteye,
 - growing requirements, 218
 - Bolometer, 25
 - Botrytis blight, 156-157
 - conditions encouraging, 156
 - control, 156-157
 - symptomology, 156
 - Boundary layer,
 - and air movement rates, 90-91
 - Bramble,
 - growing requirements, 218
 - Brassica oleraceae* var. *capitata*,
 - growing requirements, 218
 - Bugs, *see* Mealybugs and Arthropods
- C**
- Cabbage,
 - growing requirements, 218
 - Cactus, Thanksgiving,
 - growing requirements, 218
 - Calceolaria herbeohybrida*,
 - growing requirements, 218
 - Calceolaria* (pocketbook plant),
 - growing requirements, 218
 - Calcium-related injuries, 136-137
 - control, 136-137
 - crops affected, 136
 - symptoms, 136
 - transpiration influence, 136
 - Calibration, *see* calibration under each environmental parameter
 - Capacitance humidity sensors, 52, *see also* Humidity sensors
 - Capsicum annuum*,
 - growing requirements, 221
 - Carbon dioxide, 65-76
 - analyzers, 71-75, *see also* specific analyzers
 - calibration of, 74
 - characteristics of, 69
 - chamber leakage, 66-67, 191, 194, 199
 - concentration, 68-69
 - fluctuations,
 - with human respiration, 66-67, 83-84
 - with plant growth, 67-68
 - control of, 66

- analyzers for, *see* Carbon dioxide analyzers
- human respiration, 66
- need for, 66-68
- specifications, 194, 201
- systems, 75-76, 194
- conversions, *see* Carbon dioxide units
- cylinders, *see* Carbon dioxide sources
- guidelines, 210-214
 - instrumentation, 211
 - measurement, 211-214
 - reporting units, 210, 213-214
- measurement, 212, 213-214
 - accuracy of, 211
 - analyzers, *see* Carbon dioxide analyzers
 - frequency for, 212-214
 - location for, 212-214
 - sensors, *see* Carbon dioxide analyzers
 - units, 71, 210, 213-214
- nature, 69
- plant injury, 137
- and plant response, 68-69, *see* separate plant responses
- reporting, 212-214
 - units for, 210, 213-214
- safety, 76-77
- sensors, *see* Carbon dioxide analyzers, specific types of instruments
- sources, 69-71
 - dry ice (frozen), 70
 - pressurized cylinders, 69-70
 - contaminants, 69-70
 - purity of, 69-70
 - regulation of flow, 70
 - salt and acid, 70-71
- standards, by the National Institute of Standards and Technology, (NIST), 74
- terminology, *see* Carbon dioxide, units of
- units of, 71, 210, 213-214
- Carnation,
 - growing requirements, 218
- Caterpillars, 146-147
 - biology, 146
 - control, 146-147
 - identification, 146
 - injury, 146
- Caulking compounds as air contaminants, 82
- Chambers, *see* Growth chambers
- Charcoal filters,
 - air contaminants, 85
 - organics, 128
- Chenopodium album*,
 - growing requirements, 220
- Cherry,
 - growing requirements, 218
- Chlorophyll content,
 - radiation, 9
- Chrysanthemum, 145
 - growing requirements, 218
- Cineraria,
 - growing requirements, 219
- Citrus,
 - growing requirements, 219
- Citrus spp.*,
 - growing requirements, 219
- Closed chambers, 161-166
 - CO₂ maintenance, 162-163
 - O₂ maintenance, 163
 - testing for leakage, 164-165
 - construction methods, 165-166
- Cobaltous humidity sensors, 54
- Cocklebur,
 - growing requirements, 219
- Computer controllers, 201-202
- Condensation dew point sensors, *see* Dew point sensors
- Conductimetric carbon dioxide analyzer, 74-75
- Conduction of heat, *see* Temperature exchange
- Conductivity of nutrient solutions, 128
 - controlling, 124
 - guidelines, 68-71
 - measurement, 210-211, 213-214
 - reporting, 212-214
- Contaminants,
 - air, *see* Air contaminants
- Controlled environment chambers, *see* Growth chambers
- Controllers, computer, 201-202
- Controls, *see* Growth chambers, specifications, controls and alarms
- Cool-white fluorescent lamps, *see* Fluorescent lamps
- Convection of heat, *see* Temperature exchange processes
- Corn,
 - growing requirements, 219
- Cosmos,
 - growing requirements, 219
- Cosmos bipinnatus*,
 - growing requirements, 219
- Cotton,
 - growing requirements, 219
- Crop growth requirements, 215-223, *see* specific crops
 - flower initiation/development, 216-223
 - fruit/seed development, 216-223
 - propagation, 216-223
 - vegetative growth, 216-223
- Cucumber,
 - growing requirements, 219
- Cucumis sativus*,
 - growing requirements, 219

- Cyclamen,
 - growing requirements, 219
- Cyclamen persicum*,
 - growing requirements, 219

D

- Dalton's Law, 45
- Damping-off, 155-156
 - conditions encouraging, 156
 - control, 156
 - symptomology, 155-156
- Daylength, *see* Photoperiod
- Dehumidification, 59
 - chemical driers, 59
 - condensation on coils, 59
- Dendranthema grandiflorum*,
 - growing requirements, 218
- Designs, *see* Experimental designs
- Dessicants, *see* Dehumidification
- Dew cell sensors, *see* Dew point sensors
- Dew (condensation) in chambers, 50
- Dew point sensors, *see also* Humidity sensors
 - description, 53-54
- Dew point temperature,
 - conversion to relative humidity, 46
 - definition, 48-49
- Dianthus caryophyllus*,
 - growing requirements, 218
- Dimming of lamps, *see* Radiation regulation level
- Diode, *see* Radiation sensors
- Diseases, 154-157
 - concern for, 143
 - conditions encouraging, *see* each specific disease
 - control, 144-145
 - biological, 144
 - chemical sprays, 144
 - chlorox solution, 144
 - identification, *see* each specific disease
 - injury, *see* each specific disease
 - types, 154, 156-157
 - Botrytis blight, 156-157
 - damping-off, 155-156
 - downy mildew, 154-155
 - rust, 155
- Dry air definition, 47
- Dry ice, *see* Carbon dioxide sources

E

- Easter Lily,
 - growing requirements, 219
- Electrical conductivity, *see* Conductivity of nutrient solutions

- Electrical humidity sensors, *see*
 - Electrochemical humidity sensors
- Electrical requirements of chambers, 172, 195, 202
- Electrochemical carbon dioxide analyzers, *see*
 - Conductimetric carbon dioxide analyzer
- Electrochemical humidity sensors, 52, *see also*
 - Humidity sensors
- Elongation of stems,
 - air movement, 89-91
 - radiation, 9
- Ethylene as air contaminant, 85
- Ethylene glycol as air contaminant, 83
- Euphorbia pulcherrima*,
 - growing requirements, 222
- Evaporation rate of leaves, *see* Transpiration
- Expansion thermometers, *see* Thermometers, expansion
- Experimental designs, 177-187
 - blocking, 181-182
 - randomization, 180-181
 - replication, 182-183
 - variation, 179-180, 183
 - example designs, 184-186
 - one chamber, 184
 - multiple chambers, 185-186
 - need for, 177-179

F

- Fertilizers, *see* Nutrients
- Flower initiation/development,
 - definition, 216
 - species requirements, 217-223
- Fluence, 26
- Fluorescent lamps, 12-13
 - aging, 13
 - amperage, 12-13
 - Gro-lux, 10, 13
 - output over time, 13
 - phosphorus, 12
 - "plant growth lamps," 10, 13
 - ratio with incandescent, 194, 200
 - spectrum of, 10-12, 23
 - temperature effect, 13, 17-18
 - VHO and HO, 12-13
- Foliar nematodes, 157
- Fragaria x ananassa*,
 - growing requirements, 223
- Fruit cracking, 138
- Fruit/seed development,
 - definition, 216
 - species requirements, 217-223
- Fuchsia,
 - growing requirements, 219
- Fuschia x hybrida*,

growing requirements, 219
 Fungus knats,
 biology, 147
 control, 147-148
 identification, 147
 injury, 147

G

Galls, *see* Oedema
 Geranium,
 growing requirements, 220
 Gerbera,
 growing requirements, 220
Gerbera jamesonii,
 growing requirements, 220
 Germination radiation, 8
 Glassiness, *see* Vitrification
 Gloxinia,
 growing requirements, 220
Glycine max,
 growing requirements, 223
 Gnats, *see* Fungus gnats
Gossypium hirsutum,
 growing requirements, 219
 Grape,
 growing requirements, 220
 Gravel culture, *see* Liquid culture
 Gro-lux lamps, *see* Fluorescent lamps
 Growth chambers,
 air ion, 166-167
 air pollution, 168-169
 closed, 161-166, *see also* Closed chambers
 heat removal, 172-173
 controls and alarms, 201-202
 drains, 172, 192
 economics, 190-191
 insulation, 191
 installation, 172-173, 195, 203-204
 leakage and sealing, 66-67, 191, 194, 199
 maintenance, 171-175, 202-203
 costs of, 171-172
 humidification, 174-175
 importance of, 171-172
 lighting systems, 173-174
 shutdown, 175
 temperature controls, 174
 manufacturer selection, 190
 monitoring and recording, 201-202
 pesticides, 169
 shutdown, 175
 special use, 161-169, *see also* specific
 chambers
 specifications, 189-205, *see also* individual
 components
 chamber, 172-173, 191-195

controls and alarms, 201-202
 general, 189-191, 196-197
 monitoring and recording, 201-202
 testing for, 204
 warranties, 196, 204-205
 types of, 204-205
 wind tunnels, 167-168

Growth of plants, *see* Photosynthesis
 and Yield

Growth requirements, *see* Crop growth
 requirements

Guidelines, 207-214, *see also* under each
 environmental parameter
 history of, 207
 instruments to use, 211
 instrument accuracy and precision, 211
 measurement (monitoring) procedures,
 211-212
 need for, 207-208
 reporting, 212-213
 summary table, 213-214
 units and terminology, 208-210

H

Heat, *see* Temperature

Henbane,
 growing requirements, 220

Hibiscus, 145

HID lamps (high intensity discharge), 13-15
see also High pressure sodium,
 Mercury, and Metal halide lamps

characteristics of, 13-14
 heat filters for, 32
 radiant heat of, 32
 spectrum, 10-11

High pressure sodium lamps (HPS), 14-15
 advantages, 14, 23
 life, 14
 spectrum, 11, 14-15, 23
 temperature effects, 18

Hordeum vulgare,
 growing requirements, 217

Humidification, 57-59
 atomizers (sprayers), 58
 by plants, 57
 maintenance of systems, 174
 with saturated salt solutions, 58-59
 with steam, 58, 127-128
 with water bath, 58

Humidity, 43-59, *see also* Water vapor
 calibration, 54-55
 calcium related injuries, 136
 comparison between chamber and field, 49-50
 condensation, 50, 57

- control systems, 57-59 *see also*
 - Dehumidification, Humidification
 - efficiency of, 57
 - heat load of, 57
 - at high humidity, 58
 - need for, 57
 - sensor duplication in, 57
 - and temperature control, 57, 59
 - and transpiration, 57
 - crop requirements, 215-223
 - definition, 44-45, 47-49, *see also* specific
 - moisture parameters
 - guidelines, 210-214
 - measurement, 211-214
 - reporting, 212-214
 - units for, 210, 213-214
 - measurement, 50-57
 - accuracy of, 56-57, 211
 - calibration, 54-55
 - frequency of, 211-214
 - guidelines, 211-214
 - hysteresis, 56-57
 - location for, 56, 211-214
 - sensors for, *see* Humidity sensors and
 - specific sensors
 - systems for,
 - timing of, 56-57, 211-214
 - types, 51
 - units, 210, 213-214
 - variations in,
 - plant requirements, 215-223
 - plant responses, *see* specific plant responses
 - psychrometric charts, 45-46
 - ratio, *see* Mixing ratio
 - removal, 50
 - reporting, 212-214
 - sensors, 51-56, *see also* specific sensors
 - calibration, 54-55
 - National Institute Standards
 - Technology, 54-55
 - saturated salts, 55
 - wet and dry bulb, 55
 - errors and accuracy, 56-57
 - hysteresis, 56-57
 - temperature, 47, 49-50
 - transpiration, 50
 - units, 210, 213-214
 - variations in chambers, 50
 - Hydrangea,
 - growing requirements, 220
 - Hydrangea macrophylla*,
 - growing requirements, 220
 - Hydrogen ion concentration, *see* pH
 - Hydroponics, 119-129, *see also* Sand culture,
 - Mist culture
 - algae control, 128-129
 - contaminant control,
 - organics, 128
 - pollutants, 128
 - microorganisms, 129
 - control, 129
 - types, 129
 - nutrition (nutrient solutions), *see* Nutrient
 - solutions
 - systems, 119-123
 - flowing, 120-122
 - containers, 120-121
 - NFT, 121-122
 - membranes, 122-123
 - misting roots, 122
 - static, 119-120
 - subirrigation, 122
 - Hygrometers, *see* Humidity sensors
 - Hygroscopic humidity sensors, 53
 - accuracy and errors, 53
 - Hyocyamus niger*,
 - growing requirements, 220
 - Hypocotyl Straightening Radiation, 8
- ## I
- Illuminance, *see also* Light
 - definition, 209
 - Illuminance meters, *see* Radiation sensors
 - Incandescent lamps, 9-12
 - aging, 12
 - characteristics, 9, 11
 - filtering, 11
 - frosting, 11
 - halogen, 11-12
 - long-life bulbs, 12
 - output over time, 12
 - ratio with fluorescent,
 - spectrum, 9-11
 - temperature effects, 9, 11
 - voltage effect, 12
 - Infrared carbon dioxide gas analyzers, 71-74
 - calibration, 74
 - description of, 71-73, 72-73
 - operation of, 73-74
 - Infrared radiation, *see* Radiation and Infrared
 - thermometers
 - Infrared humidity sensors, 54, *see also*
 - Humidity sensors
 - Infrared thermometers, 39-40
 - construction,
 - emissivity errors, 39-40
 - spectral response, 39-40
 - usefulness, 39
 - Insects, *see* Arthropods and each specific insect
 - Installation, *see* Growth chamber installation
 - International Standard Units, *see* Units

Intumescence, *see* Oedema
 Ions, *see* Air ions
Ipomea batatas,
 growing requirements, 222
 Irradiance, *see also* Radiation
 units, 2-3, 26
 Irradiation, *see also* Radiation
 definition, 26
 Irrigation, *see* Watering

K

Kalanchoe,
 growing requirements, 220
Kalanchoe blossfeldiana,
 growing requirements, 220

L

Lactuca sativa,
 growing requirements, 220
 Lambsquarters,
 growing requirements, 220
 Lamp bank, *see* Lamps, specifications
 Lamps, *see also* specific types of lamps and
 Radiation
 ballasts,
 air contamination, 82
 characteristics, 17
 cooling, 202
 maintenance, 173, 202 (S75)
 specifications, 202
 wattage required, 17
 cooling of, 33, 193
 efficiency of,
 radiation, 32
 reflectors,
 characteristics, 17
 distribution of radiation, 17, 19
 efficiency, 17
 spacing, 19
 specifications, 193-194, 198-200
 water cooling, 35
 Latent heat, *see* Temperature exchange
 processes
 Leafminers, 148
 biology, 148
 control, 148
 identification, 148
 injury, 148
 Leaves,
 air movement, 93
 radiation absorbed, 32
 temperature, 40
 wind velocity, 93
 water potential, *see* Plant water potential

Lettuce,
 growing requirements, 220
Liatris (Gayfeather),
 growing requirements, 220
Liatris spp.,
 growing requirements, 220
 Light, *see also* Irradiance and Radiation
 definition and units, 2-3, 26, 209
 Light emitting diodes (LED), 15-16
 cycling on and off, 15-16
 intensity, 15-16
 spectrum, 15-16
Lilium longiflorum Thunb. var. *eximium*,
 growing requirements, 219
 Lithium chloride sensors, *see* Hygroscopic
 sensors
 Liquid culture, *see* Hydroponics, Mist culture
 and Nutrient solutions
Lolium multiflorum,
 growing requirements, 222
 Long wave radiation, *see* Radiation, infrared
 measurement, *see* Radiometers
 Low pressure sodium lamps (LPS), 15
 characteristics, 14-15
 spectrum, 11, 14-15, 23
Lycopersicon esculentum,
 growing requirements, 223

M

Makeup air, 94, 112, 200, *see also* Air movement
 control
Malus domestica,
 growing requirements, 217
 Marigold,
 growing requirements, 221
 Mealybugs, 150-151
 biology, 150
 control, 150-151
 identification, 150
 injury, 150
 Measurement, *see also* measurement under
 each environmental parameter
 guidelines for, 207-214, *see also* Guidelines
 Mechanical humidity sensors, *see* Hygroscopic
 humidity sensors
 Mechanical stress, *see* Vibration of plants
 Mechanical vibration, *see* Vibration of plants
 Media, 105-117
 containers,
 color, 110
 composition, 110
 drainage, 105-106, 110
 shape, 110
 size, 110
 water table, 105-106

- crop requirements, 215
 - materials,
 - mixes, 109-110
 - reporting guidelines, 210, 212-214
 - types,
 - arcillite, 108
 - gravel, 108-109
 - peat, 107
 - pertile, 108
 - sand, 108
 - soil, 107
 - vermiculite, 108
 - nature of, 105-107
 - nutrition, *see* Nutrients
 - pores and aeration, 107
 - plant requirements, 215
 - sterilization, 109-110
 - watering,
 - guidelines, 210, 212-214
 - Medicago sativa* ,
 - growing requirements, 217
 - Mercury as air contaminant, 83, 85
 - Mercury lamps, 15,
 - life, 15
 - output over time, 15
 - spectrum, 15
 - Metal arc lamps, *see* Metal halide lamps, HID lamps
 - Metal halide (metal arc) lamps, *see also* HID lamps
 - life, 14
 - output over time, 14
 - spectrum for, 11, 14, 23
 - Microwave lamps,
 - characteristics, 16
 - efficiency, 16
 - Mildew, *see* Powdery mildew
 - Mineral nutrients, *see* Nutrients
 - Miners, *see* Leafminers
 - Mist culture, 122
 - Mites, *see* Spider mites, Arthropods
 - Mixing ratio, *see also* Humidity
 - definition and formula, 47
 - relative to specific humidity, 47-48
 - temperature effect, 47
 - Moisture, *see* Humidity
 - definition, 44
 - Monitoring, 201-202, *see also* measurement
 - under each environmental parameter and guidelines
 - growth chamber, general, 201-202
 - Multivapor lamps, *see* Metal halide lamps
- ## N
- National Institute of Standards and Technology, 54, 74
 - Needle tip curling, 138
 - Nematodes,
 - foliar, 157
 - soil, 157
 - Neoplasms, *see* Oedema
 - Net radiometer, *see* Radiation sensors, thermoelectric
 - NFT, *see* Hydroponic systems
 - Nicotiana tabacum*,
 - growing requirements, 223
 - Nutrient culture, *see* Hydroponics, Nutrient solutions
 - Nutrient film technique (NFT), *see* Hydroponic systems
 - Nutrient solutions,
 - conductivity, 123-124
 - controlling, 123
 - measurement, 212-213
 - units, 214
 - contaminants, 124-125
 - controlling, 123-125
 - deficiency solutions, 123-124
 - formulations, 116-117, 123-124
 - for deficiencies, 123-124
 - oxygen
 - requirements, 127
 - problems, 127
 - pH, 125-127
 - controlling, 126-127
 - crop requirements, 215, 217-223
 - monitoring, 125
 - measurement guidelines, 210-212, 214
 - reporting guidelines, 212-214
 - range, 125
 - reasons for control, 125
 - terminology, *see* Nutrients, terminology
 - Nutrients, *see also* Nutrient solutions
 - crop requirements, 215, 217-223
 - guidelines, 210-214
 - measurement, 212
 - reporting, 212-213
 - units, 212, 214
 - measurement, 210-211, 214
 - plant requirements, 215, 217-223
 - reporting, 212-214
 - required, 115
 - required solution concentrations, 123-124
 - terminology, 115, 210-211, 214
 - conversion between, 115, 116-117
 - units, *see* Nutrients, terminology
 - Nutrition, *see* Nutrients, Nutrient solutions

O

- Oats,
 - growing requirements, 221
- Oedema, 84, 134
- Olea europaea*,
 - growing requirements, 221
- Olive,
 - growing requirements, 221
- Oryza sativa*,
 - growing requirements, 222
- Oxygen, *see* Nutrient solutions

P

- Paint as air contaminant, 82, 85
- PAR (photosynthetically active radiation),
 - 2, 209
 - definition of, 2, 209
 - guidelines, 2-3, 211-213
 - sensors for, 18-19, *see also* Radiation sensors
 - wavebands of, 2
- Parts per million,
 - definition,
 - carbon dioxide, 71
 - humidity, 48
- Pea,
 - growing requirements, 221
- Peach,
 - growing requirements, 221
- Peanut,
 - growing requirements, 221
- Pear,
 - growing requirements, 221
- Pelargonium spp.*,
 - growing requirements, 220
- Pepper,
 - growing requirements, 221
- Perilla,
 - growing requirements, 221
- Perilla frutescens*,
 - growing requirements, 221
- Persea americana*,
 - growing requirements, 217
- Pesticide chambers, 169
- Pests, *see* Algae, Arthropods, Diseases, Nematodes
- Petunia,
 - growing requirements, 221
- Petunia x hybrida*,
 - growing requirements, 221
- pH
 - control, 125-127
 - crop requirements, 215, 217-223
 - in hydroponics, *see* Nutrient solutions
 - measurement and reporting guidelines,
 - media, *see* nutrient solutions
 - monitors, 125
 - plant requirements, 215, 217-223
- Pharbitis,
 - growing requirements, 222
- Pharbitis nil*,
 - growing requirements, 222
- Phaseolus vulgaris*,
 - growing requirements, 218
- Photochemical carbon dioxide analyzer, 75
- Photo diodes, *see* Radiation sensors, photoelectric
- Photometers, *see* Radiation sensors
- Photomorphogenic radiation, 7-9, *see also* specific plant responses
 - definition, 26
- Photomultiplier tube, *see* Radiation sensors, photoelectric
- Photon flux, 209, *see also* PPF and PPFD
- Photoperiod, *see also* Radiation duration
 - continuous injuries, 135
 - cycle duration, 135
 - plant species requirements, 215-223, *see also* specific plant responses
- Photosynthesis,
 - air movement, 88-89
 - humidity, 44
 - radiation, 3-4, 7
- Photosynthetic irradiance (PI), *see* PAR
- Photosynthetic photon flux, *see* PPF
- Photosynthetic photon flux density, *see* PPFD
- Photosynthetic photon flux fluence rate (PPFR), 3
- Photosynthetically active radiation, *see* PAR
- Phthalates as air contaminants, 83-85
- Physiological disorders, 133-138
 - calcium related, 136-137
 - carbon dioxide elevation, 137
 - causes, 137
 - symptoms, 137
 - continuous radiation, 134-136
 - duration of L:D cycles, 135-136
 - fruit cracking, 138
 - irradiance high, 137
 - leaf pleating, 138
 - needle top curling, 138
 - oedema, 134
 - prevention by temperature cycling, 135
 - radiation high, 137
 - vitrification, 138
- Phytochrome,
 - absorption spectrum of, 5-8
 - control of oedema, 134
 - ratio of 660/730 radiation,
 - plant response, 7-8
 - photoequilibrium, 5-7

- sensors, 19-20
 - PI (Photosynthetic irradiance), *see* PAR, PPF, PPFD
 - definition of, 209
 - guidelines, 211-213
 - measurement and sensors, *see* Radiation sensors, photoelectric
 - Pigweed,
 - growing requirements, 222
 - Pisum sativum*,
 - growing requirements, 221
 - Plant growth requirements, *see* Crop growth requirements
 - Plant temperature, *see* Temperature, leaves
 - Plant water movement, 43-44
 - Plant water potential, 43-44
 - humidity, 43-44
 - Plant water stress, *see* Plant water potential
 - Pleating of leaves, 138
 - Plexiglas barriers,
 - UV transmission, 134
 - Poa annua*,
 - growing requirements, 217
 - Poinsettia,
 - growing requirements, 222
 - Pollution, *see* Air pollution
 - Polymer film humidity sensors, *see* Capacitance sensors
 - Potato, sweet,
 - growing requirements, 222
 - Potato, white
 - growing requirements, 222
 - Powdery mildew, 154-155
 - conditions encouraging, 154-155
 - control, 154-155
 - symptomology, 154-155
 - PPF (Photosynthetic photon flux), *see also* PAR, PI, PPFD
 - definition, 26, 209
 - measurement and sensors, *see* Radiation sensors, photoelectric
 - PPFD (Photosynthetic photon flux density), *see also* PAR, PPF, PI
 - definition, 27
 - measurement and sensors, *see* Radiation sensors, photoelectric
 - PPFR (Photosynthetic photon fluence rate), 3
 - Precision,
 - definition of, 210
 - needed for environmental parameters, 211
 - Propagation,
 - definition, 216
 - species requirements, 217-223
 - Prunus persica*,
 - growing requirements, 221
 - Prunus spp.*,
 - growing requirements, 218
 - Psychrometers,
 - air moisture measurement, 51-52
 - accuracy, 51-52
 - air movement required, 51-52
 - charts, 46
 - errors, 51-52
 - Psychrometric charts, 46
 - Pyranometer, 27
 - Pyroheliometer, 27
 - Pyrus communis*,
 - growing requirements, 221
- ## Q
- Quantum, 27
 - Quantum (photon) sensors, *see* Radiation sensors, photoelectric
- ## R
- Radiation, 1-27
 - barriers under lamps,
 - heat control, 17-18, 32
 - induction of oedema, 134
 - maintenance, 173-174
 - specifications, 191-192
 - crop requirements, 215, 217-223
 - cycle length, 135-136
 - duration, 24, 217-223
 - for different crop species, 217-223
 - injuries, 135-136
 - gradients in chambers, 22-23
 - horizontal, 22-23
 - vertical, 22
 - guidelines, 208-209, 211-213
 - infrared, 11, 18, 32
 - intensity, *see* Radiation level
 - lamps, *see* Lamps
 - leaf absorption, 32
 - level, 24-25
 - for different crop species, 217-223
 - lighting systems,
 - controls and alarms, 194
 - specifications, 193-194, 198-200
 - maintenance, 173-174
 - measurement, 3, 19-20
 - accuracy, 211
 - calibration of, 21
 - cosine correction, 19, 25
 - frequency of, 211, 213
 - guidelines, 211-213
 - in experiments, 21
 - location for, 211, 213
 - position, 19
 - precision in, 211

- sensors, *see* Radiation sensors
- plant requirements, 215, 217-223
- plant responses, 3-4, 7-9
- regulation,
 - duration, 24
 - for different crop species, 217-223
 - level, 24-25
 - dimming, 25
 - for different crop species, 217-223
 - shading, 25
 - spectrum, 23
- reporting,
 - guidelines, 211-213
 - units for, 208-209, 213
- safety, 25, 111
- sensors,
 - calibration of, 21
 - photoelectric (silicon, selenium, photo diode), 19-20
 - spherical, 19
 - thermoelectric (black body, radiometers, infrared), 20
- sources, 7-16, *see* specific lamps
- terminology, *see* Radiation, units for
- units for, 2-3, 208-209, 213
 - conversions between, 3
 - energy, 2-3, 25-26, 208-209, 213
 - light, *see* units photometric
 - photometric, 2-3, 209
 - photons, 2, 26, 208-209, 213
 - quanta, *see* units photons
 - visible, *see* units photometric
- Radiometer, *see also* Radiation sensors
 - description of, 20
 - units for, 208-209, 213
- Randomization, 180-181
- Randomized complete block design, *see* Experimental designs
- Reflection, *see* Lamp reflectors
- Reflection from walls, 18-19
- Relative humidity, *see also* Humidity
 - conversion,
 - from dew point temperature, 46
 - from wet bulb and dry bulb temperature, 46
 - definition of, 45, 47, 69
 - temperature interactions, 45, 47, 69
- Replication, 182-183, *see also* Experimental designs
- Reporting guidelines, *see* Guidelines
- Resistance temperature sensors, 38
 - construction, 38
 - usefulness of, 38
- Rhododendron spp.*,
 - growing requirements, 217
- Rice,
 - growing requirements, 222
- Rooms, *see* Growth chambers
- Rosa multiflora*,
 - growing requirements, 222
- Rose,
 - growing requirements, 222
- Rubus spp.*,
 - growing requirements, 218
- Rust, 155
 - conditions encouraging, 155
 - control, 155
 - symptomology, 155
- Ryegrass,
 - growing requirements, 222
- S
- Safety, *see* individual environmental parameters
- Saintpaulia ionantha*,
 - growing requirements, 217
- Salvia,
 - growing requirements, 222
- Salvia splendens*,
 - growing requirements, 222
- Sand culture, 108
- Saturation deficit, *see* Vapor saturation difference
- Saturation vapor pressure (saturation vapor density),
 - calculation of, 45
 - definition, 45
 - and temperature, 45, 47
- Schlumbergera truncata*,
 - growing requirements, 218
- Scrophularia,
 - growing requirements, 222
- Scrophularia marilandica*,
 - growing requirements, 222
- Seed development,
 - definition, 216
 - species requirements, 217-223
- Self-ballasted mercury lamps, 15, *see also* Mercury lamps
- Selenium sensors, *see* Radiation sensors, photoelectric
- Semiconductors, temperature sensors, 39
 - construction, 39
 - usefulness, 39
- Senecio cruentus*,
 - growing requirements, 219
- Silene,
 - growing requirements, 223
- Silene armeria*,
 - growing requirements, 223

- Silicon sensors, *see* Radiation sensors, photoelectric
- Sinapsis,
growing requirements, 223
- Sinapsis alba*,
growing requirements, 223
- Sinningia speciosa*,
growing requirements, 220
- Snapdragon,
growing requirements, 223
- Sodium lamps, *see* High pressure sodium lamps, Low pressure sodium lamps
- Soil, *see* Media
- Solanum tuberosum*,
growing requirements, 222
- Spacing of lamps, *see* Lamps, spacing
- Special use chambers, 161-169
- Specifications, *see* Growth chamber specifications
- Specific humidity, *see also* Humidity definition, 47
- Spectroradiometers, *see also* Radiation sensors description of, 27
- Spherical sensors, *see* Radiation sensors
- Spider mites, 148-150, *see also* Arthropods biology, 149 control, 149-150 identification, 148-149 injury, 149
- Spinach,
growing requirements, 223
- Spinacia oleracea*,
growing requirements, 223
- Standard lamp, *see* Radiation measurement, calibration
- Steam,
air contaminants, 83 humidification, 58
- Stem elongation, *see* Elongation of stems
- Stomatal opening, 44
- Strawberry,
growing requirements, 223
- Subirrigation, *see* Hydroponic systems
- Substrate, *see* Media
- T**
- Tagetes erecta*,
growing requirements, 221
- Temperature (air), 31-36 control, 34-36, 199 air movement direction, 48-49, 93-94 alarms, 49 day and night, 36 heat loading, 34-35 lamp banks, 110 limits, 36 low-temperature chambers, 36 maintenance, 174 microprocessors for, 36, 40-41 principles of, 34-36 sensors, 36-40, *see also* Measurement sensors, 36 specifications, 40, 199-200, *see also* Temperature control systems systems, capacity, 193, 199 maintenance, 174 standby, 193 types, 46-47, 192-193 crop requirements, 215, 217-223 exchange processes, 31-34 radiation, 32 conduction, 32-33 convection, 33 formula, 31-32 latent heat transfer, 33-34, 44 freezing chambers, *see* Temperature, low-temperature chambers guidelines, 210-214 instruments, *see* measurement, sensors for leaves, 33-34 low-temperature chambers, 36 measurement, 37-41 data acquisition, 40-41 frequency of, 211-214 guidelines for, 211-214 of leaves, 40 location of, 40, 211-214 sensors for, 37-40, *see also* Expansion thermometers, Infrared thermometers, Resistance temperature detectors, Semiconductors, Thermocouples, Thermistors, (liquid expansion), shielding sensors, 211 guidelines, 211 time of, 211-214 units, 210, 213-214 nature of, 31-32 and plant response, *see* specific responses reporting, 211-213 species requirements, 215, 217-223
- Terminology, *see* units under each environmental parameter
- Thermal radiation, *see* Radiation, infrared
- Thermistors, 38-39 construction of, 38-39 usefulness, 39
- Thermocouples, 37-38 construction of, 37-38 usefulness, 37-38

- Thermometers, expansion, 37
 bimetallic strips, 37
 liquid, 37
 usefulness of, 37
- Thrips, 151-152
 biology, 151-152
 control, 152
 identification, 151
 injury, 151
- Tobacco,
 growing requirements, 223
- Tomato,
 growing requirements, 223
- Transpiration,
 air movement, 88-89
 calcium-related injuries, 136
 calculation of rate, 45
 definition of, 43
 diffusive resistance, 45
 energy balance, 44
 heat exchange, 44
 humidity, 43-44, 50
 latent heat transfer, 33, 44
 nutrient uptake, 43-44
 plant water potential, 43-44
 temperature of plants, 43-44
- Triticum aestivum*,
 growing requirements, 223
- Tungsten (tungsten halogen) lamps, *see*
 Incandescent lamps
- Two-spotted spider mites, *see* Spider mites,
 Arthropods

U

- Ultraviolet radiation,
 absorption by barriers, 134
 algae control, 129
 and plant injury (oedema), 84, 134
- Units, *see* specific environmental
 parameters

V

- Vaccinium ashei*,
 growing requirements, 218
- Vaccinium corymbosum*,
 growing requirements, 218
- Vapor density, *see* Absolute humidity
- Vapor diffusion resistance,
 definition of, 45
- Vapor pressure, *see* Water vapor pressure
- Vapor pressure deficit, *see* Vapor saturation
 difference
- Vapor saturation difference,

- calculation of, 45
 definition of, 45, 210
 determination from wet bulb temperature, 45
- Variation in experiments, 179-180, 183, *see also*
 Experimental design
- Vegetative (growth period),
 definition, 217
 species requirements, 217-223
- Vibration of plants, 137-138
 factors causing, 137-138
 plant responses to, 137-138
- Vitrification, 138
- Vitis spp.*,
 growing requirements, 220

W

- Warranty, *see* Growth chamber warranties
- Water loss, *see* Transpiration
- Water potential, *see* Plant water potential
- Watersoaking, *see* Vitrification
- Water stress, *see* Plant water potential
- Water vapor concentration, *see* Absolute
 humidity
- Water vapor pressure in atmosphere, 44-45
 definition, (formula), 45
 temperature interaction, 47
- Water vapor density, *see* Absolute humidity
- Watering guidelines, 210, 212-214, *see also*
 Media watering
- humidity, 50
- Wet-bulb temperature,
 conversion to relative humidity and
 saturation difference, 46
 definition, 49
 sensors, *see* Psychrometers
 vapor pressure saturation difference, 48
- Wheat,
 growing requirements, 223
- White flies, 152-154
 biology, 153
 control, 153-154
 identification, 152-153
 injury, 153
- Wind tunnels, 167-168

X

- Xanthium strumarium*,
 growing requirements, 219
- Xenon lamps, 15
 heat, 15
 spectrum, 15

Y

Yield, 44 *see also* Photosynthesis

Z

Zea mays,
growing requirements, 219